TABLE OF CONTENTS

Contents	Page No
LIST OF TABLES	iv
LIST OF GRAPH	iv
LIST OF FIGURES.	iv
LIST OF ABBREVIATION	v
ABSTRACT	vi
CHAPTER 1: INTRODUCTION	01 - 02
CHAPTER 2: METHODOLOGY	03 - 04
2.1 Animals and their management	03
2.2 Estrous synchronization, heat detection and hand mated by	
buck	03
2.3 Ultrasonographic examination	03
2.4 Statistical analysis	04
CHAPTER 3: RESULTS AND DISCUSSION	05 -10
CHAPTER 4: LIMITATIONS	11
CHAPTER 5: CONCLUSIONS	12
REFFERENCES	13-15
ACKNOWLEDGEMENTS	16
BIOGRAPHY	17

LIST OF TABLES

Table No	Contents	Page No
Table 1	Categorize the goats using ultrasonography scanning.	5
Table 2	Effects of oestrous synchronization on CR.	6
Table 3	Status of pregnancy diagnosis by ultrasonography scanning.	7

LIST OF GRAPH

Graph No	Contents	Page No
Graph 1	Diagnosis of diseases in uterus by ultrasonography	9
	scanning.	

LIST OF FIGURE

Figure No	Contents	Page No
Figure 1	Examination of fetus by ultrasonography	10
Figure 2	Examination of fetus by ultrasonography	10
Figure 3	Vertebral column of fetus	10
Figure 4	Prostaglandin (PGF2α)	10
Figure 5 Gonadotropin releasing hormone (GnRH)		10

LIST OF ABBREVIATION

Abbreviations	Elaboration
GnRH	Gonadotropin releasing hormone
PGF2α	Prostaglandin (Dinoprost)
PMSG	Pregnant mare's serum gonadotropin
FSH	Follicle-stimulating hormone
LH	Luteinizing hormone
EDD	Expected date of delivery

Ultrasonography guided reproductive management to

improve fertility in goat in Chittagong

ABSTRACT

The present study was conducted to detect the pregnancy of goat by transabdominal ultrasonography and improve the fertility. For diagnosing pregnancy and fetal body condition ultrasonographic screening is an important tool. A total 100 goats were selected from SAQTVH, CVASU and Chittagong Metropolitan area with the history of early pregnant or natural service has been done, previously delivered the fetus and pubertal goats. Ultrasonographic examination was performed for all the pregnant does. Ultrasonographic scanning shown that 35 goats were pregnant. The other 65 non-pregnant goats were divided into synchronized and control group. GnRH and PGF2α hormones were used for synchronizing the does. The conception rate between synchronized and control group were found 48.57% and 26.67%. In early pregnancy (< 60 days) the accuracy of pregnancy diagnosis was assessed 57.14% and in late pregnancy (> 60days) the accuracy of pregnancy diagnosis was 100%. The expected date of delivery measured for 11 goats and it was 81.81% accurate. The percentage of abortion, uterine infection, still birth and hydrometra was calculated 8.62%, 8.62%, 5.17% and 1.72%.

Keywords: Goat, Ultrasonographic screening, Pregnancy