

A Case Report on Clinical Management of Lumpy Skin Disease in Bull at Mithapukur Upazila,Rangpur



A Clinical Report Submitted By

Intern ID: 43

Roll No:16/48

Registration No.: 01666

Session: 2015-2016

The report is submitted in the partial fulfillment of the requirements for the degree of Doctor
of Veterinary Medicine (DVM)

Faculty of Veterinary Medicine
Chittagong Veterinary and Animal Sciences University
Khulshi, Chattogram-4225, Bangladesh
April,2021

**A Case Report on Clinical Management of Lumpy Skin Disease in Bull at Mithapukur
Upazila,Rangpur**



A Clinical Report Submitted By

Intern ID: 43
Roll No:16/48
Registration No.: 01666
Session: 2015-2016

A Clinical report is Submitted as per approved style and content

Signature of Author

Md.Ashiqur Rahman

**Intern ID:43
Roll No.16/48
Reg.No. 01666
Session:2015-16**

Signature of the Supervisor

Professor Dr.A.K.M Saifuddin

Department of Physiology,Biochemistry & Pharmacology

**Faculty of Veterinary Medicine
Chittagong Veterinary and Animal Sciences University
Khulshi, Chattogram-4225, Bangladesh
April,2021**

Name of The Contents

Contents	Page
Abstract	01
Chapter 1: Introduction	02
Chapter 2: Case Report	03
Diagnosis	
Case Management & Treatment	
Chapter 3:Discussion,,,.....	04
Limitation	05
Chapter 4: Conclusion	06
Chapter 5:References	07-08
Acknowledgement	09
Biography	10

Abstract

This paper reports a clinical management of lumpy skin disease in bull. A local breed bull with the complaint of nodular eruptions on different body parts was presented to Upazila Veterinary Hospital, Mithapukur February 12, 2021. A thorough physical examination was revealed that the bull was febrile with rectal body temperature of 103.5F and had flare-up of small to large sized circumscribed nodules on different body parts and the neck area in particular. Besides, there was lameness, swelling of both prescapular and pre femoral lymph nodes. Based on the history, clinical findings and PCR result the case was confirmed as lue. The case was managed vigorously with combination therapy and interestingly the bull was recovered and sold.

Key words: Lumpy skin disease; Treatment outcome.

Introduction

Lumpy skin disease is among the major health problems affecting the livestock industry of most developing countries like Ethiopia [1-3]. It is principally a disease of cattle caused by lumpy skin disease virus for which Neethling strain is the prototype and transmitted mechanically by arthropod vectors [4- 6]. Temporally LSD is shown to be aggregated during the warm and humid months of the year [1], which is directly associated with vector abundance. The authors also revealed the role of husbandry practices such as commingling of animals at communal grazing and watering points in the transmission of LSDV. The disease is manifested by distinguishing firm, circumscribed, few (mild forms) to multiple (severe forms) skin nodules, which sometimes involve mucous membranes of respiratory system, urogenital system and other internal organs [7,8]. In severe cases continuous high pyrexia (40-41.5°C), depression and anorexia may ensue [9]. Subsequently, milk production lessen, abortion, temporary or permanent sterility, damage to hide and deaths will occur which further contribute to a momentous economic losses [10,11]. The treatment of LSD is only symptomatic and targeted at preventing secondary bacterial complications using combination of antimicrobial and anti-inflammatory drugs [12,13].

Case Report

A local breed bull was examined at Upazila Veterinary Hospital, Mithapukur on February 12, 2021, with nodular eruptions on different body parts. According to the complaints, the feed intake and performance of the animal was also reduced. The animals were kept in communal grazing land with other herds and they were not vaccinated for more than a year. Upon physical examinations, the bull was lethargic and febrile with the rectal body temperature of 40.4°C and 64 beats/min and 36 breaths/min heart rate and respiratory rates respectively. There were flare-up of small to large sized circumscribed nodules on different body parts and the neck area in particular (Figure 1). The nodules were also seen on the scrotum and hind legs. Some nodules coalesced and form larger nodules (Figure1) and Arrow. Besides, there was lameness, swelling of both pre scapular and pre femoral lymph nodes. The tentative diagnosis was established as lumpy skin disease (LSD) based on the history, clinica findings and eruption of similar cases in other areas.



Fig: During Treatment of Lumpy Skin Disease

Diagnosis:

From epidemiological data, history & Clinical sign. This case was identified. It was confirmed that the bull was suffered from lumpy skin disease caused by lumpy skin disease virus.

Case Management and Treatment Outcome

A combination therapy of Tolfenamic acid 2 mg/kg/day for three consecutive days and 10% Oxytetracycline 15 mg/kg/day for five successive days were managed. I.M. Feed intake has been recommenced regularly (reported by owner) and also rectal body temperature was dropped to 39.7°C and 38.5°C after 24 and 48 hours post-treatment, respectively (at clinic), however the nodules were present during the courses of therapy. Three months later the bull was recovered and nodules were also disappeared but with scars on the skin (Figure 2).



Fig: After 6 Month from Treatment

Limitation

In Field area at Mithapukur,Rangpur having no good diagnostic facility for Vet sector.

Chapter 4: Discussion

Based on the clinical signs, history and result, the current incident was confirmed as LSD which is in accordance with review [14], which indicates clinical manifestations of LSD. The infected animals may show fever commonly rises to 40-41.5°C, lacrimation, increased nasal and pharyngeal secretions, anorexia, dysgalactia, general depression and a disinclination to move. The usual manifestations of LSD are multiple firm circumscribed nodules developed in the skin of the animals in which head, neck, the perineum, the genitalia, udder, and the limbs are principally involved. The regional lymph nodes are easily palpable and enlarged 3-5 times their normal size. Most cases may complicate or extend to other underlying tissues or internal organs and may sequel in economically significant disorders [9]. LSD is not associated with high mortalities (1-3%); however, the economic losses accompanying LSD eruption is higher. The losses are significantly due to decreased feed intake, milk production, weight conversion, abortion, infertility, and damaged hides [13,15,16]. Therefore systemic antibiotic and anti-inflammatory drugs are obligatory for skin infections, cellulitis or pneumonia and considerably to avoid further complications and economic losses [13].

In the current incidents, 10% Oxytetracycline and Dexamethasone were directed; consequently fever, anorexia, nodular lesions and other deviations were remarkably improved but the skin healed with scar. Similarly, a treatment trial conducted by doctors [12] with the aim of preventing LSD complications and saving the life has been successful using a combination of antimicrobials, anti-inflammatory, supportive therapy and antiseptic solutions. According to the authors, the complications encountered during the trial have been recovered within 3 days to 2 weeks. However, the treatments do not guarantee full recovery as the skin nodular.

Conclusions

Lumpy skin disease (LSD) is an economically devastating viral disease of cattle characterized by distinctive nodular lesions principally on the skin, hence reduces hide quality. A treatment aimed at preventing LSD complications and saving the life has been successful using a combination of antimicrobials and anti-inflammatory.

References

1. Gari G, Waret-Szkuta A, Grosbois V, Jacquet P, Roger F (2010) Risk factors associated with observed clinical lumpy skin disease in Ethiopia. *Epidemiol Infect* 138: 1657-1666.
2. Gari G, Bonnet P, Roger F, Waret-Szkuta A (2011) Epidemiological aspects and financial impact of lumpy skin disease in Ethiopia. *Prev Vet Med* 102: 274-283.
3. Abera Z, Degefu H, Gari G, Kidane M (2015) Sero-prevalence of lumpy skin disease in selected districts of West Wollega zone, Ethiopia. *BMC Vet Res* 11: 135.
4. Tuppurainen ES, Oura CA (2012) Review: Lumpy Skin Disease: An Emerging Threat to Europe, the Middle East and Asia. *Transbound Emerg Dis* 59: 40-48.
5. Tuppurainen ES, Stoltz WH, Lubinga JC, Carpenter MS, Coetzer JA, et al. (2013) Mechanical transmission of lumpy skin disease virus by *Rhipicephalus appendiculatus* male ticks. *Epidemiol Infect* 141: 425-430.
6. Lubinga JC, Tuppurainen ES, Coetzer JA, Stoltz WH, Venter EH (2014) Evidence of lumpy skin disease virus over-wintering by transstadial persistence in *Amblyomma hebraeum* and transovarial persistence in *Rhipicephalus decoloratus* ticks. *Exp App Acarol* 62: 77-90.
7. AU-IBAR (2013) African Union-Interafrican Bureau for Animal Resources: lumpy skin disease. Selected content from the Animal Health and Production Compendium. Accessed on: August, 2017.
8. Tageldin MH, Wallace DB, Gerdes GH, Putterill JF, Greyling RR, et al. (2014) Lumpy skin disease of cattle: an emerging problem in the Sultanate of Oman. *Trop Anim Health Prod* 46: 241-246.
9. Constable PD, Hinchcliff KW, Done SH, Gruenberg W (2017) *Veterinary Medicine: A Textbook of the Diseases of Cattle, Horses, Sheep, Pigs, and Goats*. Elsevier, UK, p: 1591.
10. OIE (2010) World Organization for Animal Health. Lumpy Skin Disease. OIE terrestrial manual. Accessed on August 14, 2017.
11. Tuppurainen ES, Alexandrov T, Beltran-Alcrudo D (2017) Lumpy skin disease field manual - A manual for veterinarians. *FAO Anim Prod Health Man* 20: 1-60. Salib FA, Osman AH (2011) Incidence of lumpy skin disease among Egyptian cattle in Giza Governorate, Egypt. *Vet World* 4: 162-167.
12. Abutarbush SM, Ababneh MM, Al Zoubil IG, Al Sheyab OM, Al Zoubi MG, et al. (2013) Lumpy Skin Disease in Jordan: Disease Emergence, Clinical Signs, Complications and Preliminary-associated Economic Losses. *Transbound Emerg Dis* 62: 549-554.
13. Al-Salihi KA (2014) Lumpy Skin disease: Review of literature. *Mirror Res Vet e* 3: 6-23.
14. Babiuk S, Bowden TR, Dalman B, Parkyn G, Copps J, et al. (2008) Quantification of lumpy skin disease virus following experimental infection in cattle. *Transbound Emerg Dis* 55: 299-307.
15. European Food Safety Authority (2015) Scientific Opinion on Lumpy Skin Disease. EFSA Panel on Animal Health and Welfare (AHAW). *EFSA* 13: 3986.

Acknowledgement

All praises are due to the Almighty God, whose blessings have been enabled the author to accomplish this work.

The author expresses his wholehearted senses of gratification, a sincere appreciation to his respected teacher and supervisor **Professor Dr. A.K.M Saifuddin, Department of Physiology, Pharmacology and Biochemistry, Faculty of Veterinary Medicine, Chattogram Veterinary And Animal Sciences University**, whose ingenuous and scholastic advice, judicious recommendations, constructive criticism, continuous encouragement and untiring assistance have guided the author from the beginning of inception of intern studies until to the completion of this report.

The author would like to express his sincere gratitude and gratefulness to **Dr. Mahmudul Hasan, Veterinary Surgeon, Upazila Veterinary Hospital, Mithapukur, Rangpur.**

BIOGRAPHY

I'm **Md. Ashiqur Rahman**, an undergraduate student, currently enrolling as an intern veterinarian at **Chattogram veterinary and Animal Sciences University**. Here I'm pursuing a specialized degree named Doctor of Veterinary medicine. I'm son of **Md. Sultan Mahmud and Mst. Sumita Khatun**, was born and raised up in **Rangpur city** and received my elementary, secondary and Higher secondary education under **Dinajpur education board**. My career vision is to become a skilled veterinarian.

